Author index

Abletshauser, C., Klüßendorf, D., Schmidt, A., Winkler, K., März, W., Buddecke, E., Malmsten, M. and Siegel, G. Biosensing of arteriosclerotic nanoplaque formation and interaction with an HMG-CoA reductase inhibitor, 131 Alving, K. see Middelveld, R.J.M. Andersen, J.L. see Hansen, E.A. Assmann, G. see Horter, M.J.

Bauer, K. see Bauer, R.

Bauer, R., Walter, B., Bauer, K., Klupsch, R., Patt, S. and Zwiener, U. Intrauterine growth restriction reduces nephron number and renal excretory function in newborn piglets, 83

Béquet, F., Gomez-Merino, D., Berthelot, M. and Guezennec, C.Y. Evidence that brain glucose availability influences exercise-enhanced extracellular 5-HT level in hippocampus: a microdialysis study in exercising rats, 65

Berthelot, M. see Béquet, F. Bigard, X. see Joumaa, W.H. Blessing, E. see Seeger, F.H. Bogdanski, J. see Horter, M.J.

Bonazzola, P., Egido, P., Marengo, F.D., Savio-Galimberti, E. and Ponce-Hornos, J.E. Lithium and KB-R7943 effects on mechanics and energetics of rat heart muscle, 1

Bornhold, R. see Seeger, F.H. Bouhlel, A. see Joumaa, W.H. Brehme, U. see Heinle, H. Breithardt, G. see Horter, M.J. Brown, R. see Persson, A.E.G. Buddecke, E. see Abletshauser, C.

Carlsson, P.-O., Jansson, L. and Palm, F. Unaltered oxygen tension in rat pancreatic islets despite dissociation of insulin release and islet blood flow, 275

Chiribiri, A. see Pagliaro, P. Cotgreave, I.A. see Svensson, M.B.

Denger, S. see Seeger, F.H. Dinh-Xuan, A.T. see Wahrmann, J.P. Downham, D. see Jaworowski, A. Dupont-Versteegden, E.E. see Fluckey, J.D.

von Eckardstein, A. see Horter, M.J. Egido, P. see Bonazzola, P. Ekblom, B. see Svensson, M.B. Ekblom, Ö. see Svensson, M.B. Ellingsen, O. see Loennechen, J.P. Engelmann, M.G. see Nikol, S.

Faergeman, O. Methods for detecting coronary disease: epidemiology and clinical management, 161

Falck, G. see Loennechen, J.P. Fierke, C.A. see Ridderstråle, Y.

Fluckey, J.D., Dupont-Versteegden, E.E., Montague, D.C., Knox, M., Tesch, P., Peterson, C.A. and Gaddy-Kurten, D. A rat resistance exercise regimen attenuates losses of musculoskeletal mass during hindlimb suspension, 293 Frey, J.-C. see Heinle, H.

Freymond, D., Guignet, R., Lhote, P., Passaquin, A.-C. and Rüegg, U.T. Calcium homeostasis and glucose uptake of murine myotubes exposed to insulin, caffeine and 4-chloro-m-cresol, 283

Friedemann, G. see Heinle, H.

Fuchs, A. see Nikol, S. Fulla, Y. see Wahrmann, J.P.

Gaddy-Kurten, D. see Fluckey, J.D. Gattullo, D. see Pagliaro, P. Gjerde, E.-A.B. see Stuhr, L.E.B. Golda, A. see Nikol, S. Gomez, M.F. see Nilsson, B.-O. Gomez-Merino, D. see Béquet, F. Gu, L. see Seeger, F.H. Guezennec, C.Y. see Béquet, F. Guignet, R. see Freymond, D. Guski, H. see Wilfert, K.

Hansen, E.A., Andersen, J.L., Nielsen, J.S. and Sjøgaard, G. Muscle fibre type, efficiency, and mechanical optima affect freely chosen pedal rate during cycling, 185

Hazama, T. see Matsunaga, S.

Heinle, H., Brehme, U., Friedemann, G., Frey, J.-C., Wolf, A.T., Kelber, O., Weiser, D., Schmahl, F.W., Lang, F. and Schneider, W. Intimal plaque development and oxidative stress in cholesterol-induced atherosclerosis in New Zealand rabbits, 101

Helistrand, P. see Tikkanen, M.J. Hellstrand, P. see Nilsson, B.-O. Hoffman- Goetz, L. see Patel, H. Holmbäck, A.M. see Jaworowski, Å. Horinouchi, T. see Imai, T.

Horter, M.J., Sondermann, S., Reinecke, H., Bogdanski, J., Woltering, A., Kerber, S., Breithardt, G., Assmann, G. and von Eckardstein, A. Associations of HDL phospholipids and paraoxonase activity with coronary heart disease in postmenopausal women, 123

Höckerstedt, A. see Tikkanen, M.J.

Imai, T., Tanaka, Y., Okamoto, T., Yamamoto, Y., Horinouchi, T., Tanaka, H., Koike, K. and Shigenobu, K. Evidence that action potential generation is not the exclusive determinant to trigger spontaneous myogenic contraction of guinea-pig urinary bladder smooth muscle, 57

Imoto, K. see Oishi, Y.
Inashima, S. see Matsunaga, S.
Iversen, V.V. and Reed, R.K. PGE₁ induced transcapillary transport of ⁵¹Cr-EDTA in rat skin measured by micro-

Jansson, L. see Carlsson, P.-O.
Jauhiainen, M. see Tikkanen, M.J.

Jaworowski, A., Porter, M.M., Holmbäck, A.M., Downham, D. and Lexell, J. Enzyme activities in the tibialis anterior muscle of young moderately active men and women: relationship with body composition, muscle cross-sectional area and fibre type composition, 215

Jonasson, L. see Olsson, A.G.

Joumaa, W.H., Bouhlel, A., Bigard, X. and Leoty, C. Nandrolone decanoate pre-treatment attenuates unweightinginduced functional changes in rat soleus muscle, 301

Kaamanen, M. see Tikkanen, M.J. Kahn, A. see Wahrmann, J.P. Kelber, O. see Heinle, H. Kerber, S. see Horter, M.J. Kimme, P., Ledin, T. and Sjöberg, F. Cortical blood flow autoregulation revisited using laser Doppler perfusion imaging, 255

Klupsch, R. see Bauer, R.

Klüßendorf, D. see Abletshauser, C.

Knox, M. see Fluckey, J.D.

Koike, K. see Imai, T

Kreuzer, J. see Seeger, F.H.

Lang, F. see Heinle, H.

Ledin, T. see Kimme, P.

Legrand, A.B. see Marigny, K.

Leoty, C. see Joumaa, W.H.

Lexell, J. see Jaworowski, A. Lhote, P. see Freymond, D.

Linderfalk, C. see Olsson, A.G.

Liu, R. see Persson, A.E.G.

Loennechen, J.P., Wisloff, U., Falck, G. and Ellingsen, O. Cardiomyocyte contractility and calcium handling partially recover after early deterioration during post-infarction failure in rat, 17

Lucas, M.L. see Wheeler, S.

Lundby, C. and Van Hall, G. Substrate utilization in sea level residents during exercise in acute hypoxia and after 4 weeks of acclimatization to 4100 m, 195

Malmsten, M. see Abletshauser, C.

Marengo, F.D. see Bonazzola, P.

Marigny, K., Pedrono, F., Martin-Chouly, C.A.E., Youmine, H., Saiag, B. and Legrand, A.B. Modulation of endothelial permeability by 1-O-alkylglycerols, 263

Martin-Chouly, C.A.E. see Marigny, K.

März, W. see Abletshauser, C.

Matsumoto, H. see Oishi, Y.

Matsunaga, S., Inashima, S., Tsuchimochi, H., Yamada, T., Hazama, T. and Wada, M. Altered sarcoplasmic reticulum function in rat diaphragm after high-intensity exercise,

Mcginn, B.J. see Wheeler, S.

Mekkaoui, C. see Nikol, S.

Middelveld, R.J.M. and Alving, K. Responses of the bronchial and pulmonary circulations to short-term nitric oxide inhalation before and after endotoxaemia in the pig,

Montague, D.C. see Fluckey, J.D. Morrison, J.D. see Wheeler, S.

Nielsen, J.S. see Hansen, E.A.

Nikol, S., Engelmann, M.G., Pelisek, J., Fuchs, A., Golda, A., Shimizu, M., Mekkaoui, C. and Rolland, P.H. Local perivascular application of low amounts of a plasmid encoding for vascular endothelial growth factor (VEGF₁₆₅) is efficient for therapeutic angiogenesis in pigs, 151

Nilsson, B.-O., Gomez, M.F., Swärd, K. and Hellstrand, P. Regulation of Ca2+ channel and phosphatase activities by polyamines in intestinal and vascular smooth muscle implications for cellular growth and contractility, 33

Norman, B. see Svensson, M.B.

Ogata, T. see Oishi, Y.

Oishi, Y., Imoto, K., Ogata, T., Taniguchi, K., Matsumoto, H. and Roy, R.R. Clenbuterol induces expression of multiple myosin heavy chain isoforms in rat soleus fibres,

Okamoto, T. see Imai, T.

Ollerstam, A., Salomonsson, M. and Persson, A.E.G. Reduced rat renal vascular response to angiotensin II after chronic inhibition of nNOS, 245

Ollerstam, A. see Persson, A.E.G.

Olsson, A.G., Schwartz, G.G., Jonasson, L. and Linderfalk, C. Are early clinical effects of cholesterol lowering mediated through effects on inflammation?, 147

Pagliaro, P., Chiribiri, A., Gattullo, D., Penna, C., Rastaldo, R. and Recchia, F.A. Fatty acids are important for the Frank-Starling mechanism and Gregg effect but not for catecholamine response in isolated rat hearts, 167

Palm, F. see Carlsson, P.-O.

Passaquin, A.-C. see Freymond, D.

Patel, H. and Hoffman-Goetz, L. Effects of oestrogen and exercise on caspase-3 activity in primary and secondary lymphoid compartments in ovariectomized mice, 177

Patt, S. see Bauer, R.

Pedrono, F. see Marigny, K.

Pelisek, J. see Nikol, S. Penna, C. see Pagliaro, P.

Persson, A.E.G., Brown, R., Liu, R. and Ollerstam, A. Nitric oxide modulates and adenosine mediates the tubuloglo-

merular feedback mechanism, 91 Persson, A.E.G. see Ollerstam, A.

Persson, P.B. see Wilfert, K.

Peterson, C.A. see Fluckey, J.D.

Ponce-Hornos, J.E. see Bonazzola, P.

Porter, M.M. see Jaworowski, A.

Rastaldo, R. see Pagliaro, P.

Recchia, F.A. see Pagliaro, P.

Reed, R.K. see Iversen, V.V.

Reed, R.K. see Stuhr, L.E.B.

Reinecke, H. see Horter, M.J.

Ridderstrale, Y., Fierke, C.A., Roush, E.D. and Wistrand, P.J. Localization of a protein inhibitor of carbonic anhydrase in pig tissues, 27

Rieu, M. see Wahrmann, J.P.

Rolland, P.H. see Nikol, S.

Roush, E.D. see Ridderstrale, Y.

Roy, R.R. see Oishi, Y

Rüegg, U.T. see Freymond, D.

Saiag, B. see Marigny, K.

Salomonsson, M. see Ollerstam, A.

Savio-Galimberti, E. see Bonazzola, P.

Schmahl, F.W. see Heinle, H.

Schmidt, A. see Abletshauser, C.

Schneider, W. see Heinle, H.

Schwartz, G.G. see Olsson, A.G.

Seeger, F.H., Blessing, E., Gu, L., Bornhold, R., Denger, S. and Kreuzer, J. Fibrinogen induces chemotactic activity in endothelial cells, 109

Shigenobu, K. see Imai, T.

Shimizu, M. see Nikol, S.

Siegel, G. see Abletshauser, C.

Siegel, G. Arteriosclerosis and pathophysiology of the cardiovascular system, 79

Sjöberg, B. see Svensson, M.B.

Sjöberg, F. see Kimme, P.

Sjödin, A. see Svensson, M.B.

Sjödin, B. see Svensson, M.B.

Sjogaard, G. see Hansen, E.A. Sondermann, S. see Horter, M.J.

Stuhr, L.E.B., Gjerde, E.-A.B., Thorsen, E. and Reed, R.K. Effects of normobaric hyperoxia on water content in different organs in rats, 13

Svensson, M.B., Ekblom, B., Cotgreave, I.A., Norman, B., Sjöberg, B., Ekblom, Ö., Sjödin, B. and Sjödin, A. Adaptive stress response of glutathione and uric acid metabolism in man following controlled exercise and diet, 43

Swärd, K. see Nilsson, B.-O.

Tanaka, H. see Imai, T. Tanaka, Y. see Imai, T. Taniguchi, K. see Oishi, Y. Tesch, P. see Fluckey, J.D. Thorsen, E. see Stuhr, L.E.B.

Tikkanen, M.J., Vihma, V., Höckerstedt, A., Jauhiainen, M., Helisten, H. and Kaamanen, M. Lipophilic oestrogen derivatives contained in lipoprotein particles, 117

Tsuchimochi, H. see Matsunaga, S.

Van Hall, G. see Lundby, C. Vihma, V. see Tikkanen, M.J.

Wada, M. see Matsunaga, S.Wahrmann, J.P., Fulla, Y., Rieu, M., Kahn, A. and Dinh-Xuan, A.T. Altered myosin isoform expression in rat skeletal muscles induced by a changed thyroid state, 233

Walter, B. see Bauer, R. Weiser, D. see Heinle, H.

Wheeler, S., Meginn, B.J., Lucas, M.L. and Morrison, J.D. Absorption of biologically active peptide hormones from the small intestine of rat, 203

Wilfert, K., Guski, H., Persson, P.B. and Stauss, H.M. Cardiovascular responses to angiotensin II in atherosclerosis, 95

Winkler, K. see Abletshauser, C. Wisloff, U. see Loennechen, J.P. Wistrand, P.J. see Ridderstrale, Y. Wolf, A.T. see Heinle, H. Woltering, A. see Horter, M.J.

Yamada, T. see Matsunaga, S. Yamamoto, Y. see Imai, T. Youmine, H. see Marigny, K.

Zwiener, U. see Bauer, R.



Subject index

absorption, 203 action potential, 57 acute coronary syndrome, 147 acute lung injury, 71 adenosine, 91 adrenergic agonists, 167 afferent arteriole, 245 altitude, 195 anabolic androgenic steroids, 301 angina pectoris, 147 angiography, 161 antigravity and respiratory muscles, 233 antioxidants, 43 ARDS, 71 arteriosclerosis model, 131 atherosclerosis, 161 atherosclerosis, 101, 109, 123 atorvastatin, 147

bone mineral density, 293 brain, 255 brain glucose, 65 bronchial circulation, 71

C2C12 myotubes, 283 caffeine, 283 calcification, 131 calcium, 17, 33 calcium adenosine triphosphatase, 227 calcium concentration, 245 calcium efflux, 283 calcium influx, 283 calcium release, 227 calcium uptake, 227 calorimetry, 1 carbohydrate, 195 carbonate dehydratase, 27 cardiac energetics, 1 cardiomyocytes, 17 carrier proteins, 27 caspases, 177 catecholamines, 195 chloro-cresol, 283 cholesterol, 95 cholic acid, 203 citrate (si)-synthase, 215 Clark microelectrodes, 275 clenbuterol, 311 coloured microspheres, 83 contractile function, 167 contraction, 301 convection, 269 coronary disease, 161 coronary risk factors, 123 cycling, 185 cytosolic calcium concentration, 283

diffusion, 269 diltiazem, 57 EC coupling, 1 ellipsometry, 131 endothelial cells, 109 endothelial factors, 151 endothelium, 263 energy metabolism, 215 enzymes, 215 epidemiology, 161 erythrocytes, 27 etherlipids, 263 exercise, 65

fat, 195 fatigue, 227 fatty acids, 167 fibrinogen, 109 fluvastatin therapy, 131 flywheel technology, 293 Frank—Starling mechanism, 167 free radicals, 101

gastrin, 203 gene therapy, 151 genetic code, 161 glucose, 167 glucose uptake, 283 glycogen, 43 Gregg phenomenon, 167 growth factors, 151

haemodynamics, 95
haemolysis, 27
HDL, 123
heart, 1
heart failure, 17
heat, 1
heterogeneity, 255
hindlimb unweighting, 301
hippocampus, 65
3-hydroxyacyl CoA dehydrogenases, 215
hypertension, 255
hypertrophy, 17
hypotension, 255

ileum, 203
infarction, 161
inflammation, 147
inhalation therapy, 71
insulin, 283
insulin resistance, 123
integrin, 109
intensity, 195
ion-channels, 33
islet blood perfusion, 275
isozymes, 27

juxtaglomerular apparatus, 91

K⁺ contracture, 301 KB-R 7943, 1

lactate, 195 lactate dehydrogenase, 215 laser Doppler, 255 lipophilic oestrogen, 117 lipoprotein particles, 117 lipoprotein particles, 117 lipoproteins, 101, 131 lithium, 1 low density lipoprotein, 147 L-type Ca²⁺ channels, 57 lymphocytes, 177

macrophages, 101 magnetic resonance imaging, 215 maximum peak crank power, 185 metabolism, 195 metyrapone, 71 microcirculation, 275 microdialysis, 65, 269 microspheres, 275 mitochondria, 167 monocyte chemotaxis, 109 morphogenesis, 151 muscle atrophy, 301 muscle fibres, 215 muscle function and fibre composition, 233 muscle unloading, 293 myocardial infarction, 17 myocardial metabolism, 167 myogenic contraction, 57 myosin heavy chain isoforms, 185 myosin heavy chain, 311 myosin light and heavy chains, 233

Na–Ca exchange, 1 newborn piglets, 83 nisoldipine, 57 nitric oxide, 91 7-nitro indazole, 245 nNOS inhibition, 245 NO, 245 noradrenaline, 245 normobaric hyperoxia, 13

1-O-alkylglycerol, 263 oedema, 269 oestrogen, 177 oligonephronia, 83 ovariectomy, 177 over-load training, 43 oxidation, 123 oxidative stress, 101 permeability, 263
PGE₁, 269
phasic locomotor muscles, 233
phosphofructokinase, 215
phospholipids, 123
physical conditioning-animal, 177
phytoestrogen derivatives, 117
polyamines, 33
protein inhibitor, 27
protein kinase C, 263
protein phosphatases, 33
proteoglycan receptor, 131
pulmonary circulation, 71
putrescine, 33

rabbits, 95
rat, 311
rates of protein synthesis, 293
rats, 13
reactive oxygen species, 43
remodelling, 17
renal blood flow, 83, 245
renal function, 83
renin release, 91
reverse cholesterol transport, 123

serotonin, 65
sex factors, 215
simvastatin, 147
single fibre, 311
skeletal muscle, 43
smooth muscle cells, 101
smooth muscle, 33
soleus, 311
soleus muscle, 293
spermidine, 33
spermine, 33
spontaneous rhythmic contraction, 57
succinate dehydrogenase, 215

therapeutic angiogenesis, 151 thyroid state of rats, 233 tissue water, 13 Transcapillary transport, 269 tubuloglomerular feedback, 91 twitch, 301

urinary bladder smooth muscle, 57

vascular endothelial growth factor, 151 vasoactive agents, 95 ventricular function, 95

zinc, 27

